

***Mischobulbum*** Schlechter 1911

Trên thế giới có 7-8 giống, Việt nam có 1.

**1** *Mischobulbum cordifolium* (Hook. f.) Schltr.

**Đồng danh:** *Tainia cordifolia* Hook. f. 1889; *Tainia fauriei* Schltr. 1911.



Ảnh: Alex & Karel Petrzalka



Ảnh: Huỳnh tiến Minh



Ảnh: Huỳnh tiến Minh



Ảnh: Huỳnh tiến Minh

**Tên Việt:** Vân củ tím (TH).

**Mô tả:** Địa lan, thân bò trên mặt đất, lá mọc từng chiếc một dài 13 phân, rộng 8 phân chùm hoa thẳng đứng cao 25 phân, hoa 5-8 chiếc một lúc, to 2-3 phân nở vào cuối Xuân và đầu mùa Hạ.

**Nơi mọc:** Văn Bản, Lào Cai, Vĩnh Phúc, Tam Đảo, Hương Sơn, Hà Tĩnh, Tây Nguyên.

***Mischobulbum macrantha (Hook.f.) Rolfe xin xem Tainia macrantha (Hook. f.).***

***Mischobulbum ovalifolium (Tsi & S.C Chen) Aver. là đồng danh của Mischobulbum longiscapum. Tuy Leonid Averyanov có nói tới trong Updated checklist of the Orchids of VN 2003, nhưng chưa tìm thấy tài liệu nào khác.***

[科学院华南植物园:](#)

【摘要】 <正>While preparing a revision of *Tainia* Blume and *Mischobulbum* Schltr. from China (Orchidaceae), we found that the name *Mischobulbum ovalifolium* (Tsi & Chen) Aver., published to replace *M. longiscapum* is nomenclaturally superfluous. Comparison of the type of *M. longiscapum* and *T. ovalifolia* confirms their conspecificity, and that they belong to *Mischobulbum* rather than *Tainia*, however, *M. longiscapum* was published before *T. ovalifolia*, so, the correct name for the species is *M. longiscapum* Seidenf. ex... 更多

【Abstract】 While preparing a revision of *Tainia* Blume and *Mischobulbum* Schltr. from China (Orchidaceae), we found that the name *Mischobulbum ovalifolium* (Tsi & Chen) Aver., published to replace *M. longiscapum* is nomenclaturally superfluous. Comparison of the type of *M. longiscapum* and *T. ovalifolia* confirms their conspecificity, and that they belong to *Mischobulbum* rather than *Tainia*, however, *M. longiscapum* was published before *T. ovalifolia*, so, the correct name for the species is *M. longiscapum* Seidenf. ex H. Turner... 更多

【Key words】 [correct name](#) ; [Mischobulbum](#) ; [Orchidaceae](#) ; [taxonomy](#) ;

***Mischobulbum wrayanum (Hook. f.) Rolfe 1912***

***Tuy Leonid Averyanov trong Updated checklist of the Orchids of VN 2003, có nói tới nhưng chưa tìm thấy tài liệu nào khác.***

***Tainia wrayana [Hkr.f] J.J. Sm 1912***

[Flower Closeup](#)

[Plant Photo courtesy of Nik Fahmi and his Vortex Orchid Page](#)



**Common Name** Wray's Tainia

Flower Size 1.5" [3.75 cm]


Found from Sikkim to Thailand, Malaysia to Sumatra in wet montane forests at elevations of 1200 to 1700 meters as a small sized, cool to warm growing epiphyte with cordate, fleshy shaped leaves with an acute apex and 5 main veins that blooms in the spring on a 10" [25 cm] long inflorescence with 4 to 8 flowers.

**Synonym** *Ipsa wrayana* Hkr.f 1890; *Mischobulbum grandiflorum* (Hook. f.) Schltr. 1911; *Mischobulbum wrayanum* (Hook. f.) Rolfe 1912?; *\*Nephelaphyllum grandiflorum* Hook.f. 1890; *Tainia atropurpuea* Ridl. 1896; *Tainia grandiflora* (Hook.f.) Gagnep. 1932.

*Tainia wrayana* [Hkr.f] J.J. Sm 1912

**Flower Closeup**

**Plant Photo courtesy of Nik Fahmi and his [Vortex Orchid Page](#)**

**Common Name** Wray's Tainia

Flower Size 1.5" [3.75 cm]

Found from Sikkim to Thailand, Malaysia to Sumatra in wet montane forests at elevations of 1200 to 1700 meters as a small sized, cool to warm growing epiphyte with cordate, fleshy shaped leaves with an acute apex and 5 main veins that blooms in the spring on a 10" [25 cm] long inflorescence with 4 to 8 flowers.

**Synonym** *Ipsa wrayana* Hkr.f 1890; *Mischobulbum grandiflorum* (Hook. f.) Schltr. 1911; *Mischobulbum wrayanum* (Hook. f.) Rolfe 1912?; *\*Nephelaphyllum grandiflorum* Hook.f. 1890; *Tainia atropurpuea* Ridl. 1896; *Tainia grandiflora* (Hook.f.) Gagnep. 1932.